

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	165	re\$encrypt\$6 with key same user with (stor\$4 or saving or database or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:27
L3	90	re\$encrypt\$6 with key with user same (data or content or information) with (stor\$4 or saving or database or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:34
L4	47	re\$encrypt\$6 with key with user same second same (data or content or information) with (stor\$4 or saving or database or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:43
L5	3	"6741991".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:41
L6	1	I5 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:39
L7	2	"6185685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:41
L8	0	"6185685".pn. and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:41
L9	0	I7 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:41

L10	22	re\$encrypt\$6 with key with user same second same (data or content or information) with (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:48
L11	2	re\$encrypt\$6 with key with ("user key") same second same (data or content or information) with (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:51
L12	3	re\$encrypt\$6 with key same ("user key") same second same (data or content or information) with (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 17:54
L13	6	re\$encrypt\$6 with key same ("user key") same (data or content or information) with (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:00
L14	4	(re\$encrypt\$6 or reencrypt\$4) same key same ("user key") same (data or content or information) with (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart) same (transmit\$5 or send\$4 or upload\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:12
L15	4	(re\$encrypt\$6 or reencrypt\$4) same key same ("user key") same (data or content or information) same (stor\$4 or saving or database or repository) same (remote or network or external or plug\$in or smart) same (transmit\$5 or send\$4 or upload\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:28
L16	4	(re\$encrypt\$6 or reencrypt\$4) same key same ("user key") same (data or content or information) same (remote or network or external or plug\$in or smart) same (transmit\$5 or send\$4 or upload\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:28

L17	4	(re\$encrypt\$6 or reencrypt\$4) same key same ("user key") same (data or content or information) same (remote or network or external or plug\$in or smart) same (transmit\$5 or send\$4 or upload\$4 or transfer\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:28
L18	6	(re\$encrypt\$6 or reencrypt\$4) same key same ("user key") same (data or content or information) same (remote or network or external or plug\$in or smart) same (transmit\$5 or send\$4 or upload\$4 or transfer\$6 or stor\$4 or saving or database or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 18:29